

## **Personal Protective Equipment (PPE) Audit Tool**

Use this tool to conduct observation audits of donning and doffing PPE and track compliance. The tool includes a compliance calculator to get a compliance rate. PPE compliance is critical for infection prevention, consider developing a PPE quality improvement plan and use this tool to measure compliance rates over time, to track if your quality improvement activity is working.

Who are you observing?: \_\_\_\_\_

Date: \_\_\_

## Audit worksheet

Donning	YES	NO	N/A	Feedback
Identify and gather the proper PPE to don.				
Ensure choice of gown size is correct (based on				
training).				
Perform hand hygiene				
Put on isolation gown.				
Tie all the ties on the gown.				
Put on NIOSH-approved N95 filtering facepiece				
respirator or higher (use a facemask if a				
respirator is not available). If the respirator has a				
nosepiece, it should be fitted to the nose with both				
hands, not bent or tented.				
Do not pinch the nosepiece with one hand.				
Respirator/facemask should be extended under chin.				
Both your mouth and nose should be protected.				
<b>Respirator:</b> Respirator straps should be				
placed on crown of head (top strap) and base				
of neck (bottom strap). Perform a user seal				
check each time you put on the respirator.				
Facemask: Mask ties should be secured on				
crown of head (top tie) and base of neck (bottom tie). If mask has loops, hook them				
appropriately around your ears.				
Put on face shield or goggles. Select the proper				
eye protection to ensure the correct positioning of				
the eye protection while not interfering or affecting				
the fit or seal of the respirator.				
<b>Put on gloves.</b> Gloves should cover the cuff (wrist)	1			
of gown.				
Total (out of 6)				

Review the completed audit and written feedback with the observed staff member, so they know their areas for improvement, what was done incorrectly, and how to correct it.

This material was prepared by Telligen, a Quality Innovation Network-Quality Improvement Organization, under contract with the Centers for Medicare & Medicaid Services (CMS), an agency of the U.S. Department of Health and Human Services (HHS). Views expressed in this material do not necessarily reflect the official views or policy of CMS or HHS, and any reference to a specific product or entity herein does not constitute endorsement of that product or entity by CMS or HHS. This material is for informational purposes only and does not constitute medical advice; it is not intended to be a substitute for professional medical advice, diagnosis or treatment. 12SOW-QIN-AIMS-06/22/20-3756

## Teligen QI Connect™ Partnering to improve health outcomes through relationships and data

DOFFING	YES	NO	N/A	Comments
Remove gloves.				
Ensure glove removal does not cause additional				
contamination of hands.				
Remove gown.				
Untie all ties (or unsnap all buttons). Reach up to the				
shoulders and carefully pull gown down and away				
from the body. Rolling the gown down is an				
acceptable approach. Dispose in trash receptacle.				
Healthcare personnel may now exit resident room.				
Perform hand hygiene.				
Remove face shield or goggles.				
Carefully remove face shield or goggles by grabbing				
the strap and pulling upwards and away from head.				
Do not touch the front of face shield or goggles.				
Remove and discard respirator (or facemask if				
used instead of respirator). Do not touch the				
front of the respirator or facemask.				
<b>Respirator:</b> Remove the bottom strap by				
touching only the strap and bring it carefully				
over the head. Grasp the top strap and bring it				
carefully over the head, and then pull the				
respirator away from the face without				
touching the front of the respirator.				
Facemask: Carefully untie (or unhook from				
the ears) and pull away from face without				
touching the front.				
Perform hand hygiene after removing the				
respirator/facemask.				
Total score (out of 6)				

Review the completed audit and written feedback with the observed staff member, so they know their areas for improvement, what was done incorrectly, and how to correct it.

## **Compliance Calculation**

- Add the total number of "yes" boxes for each activity to get a score for the staff member being observed. A perfect score is 6 for donning and 6 for doffing.
- Track the scores in an Excel table or other tracking form for each audit.
- To get a compliance rate for the nursing home, average all the scores from these individual audits (to get an average, add the total scores then divide by the number of audits completed).

This material was prepared by Telligen, a Quality Innovation Network-Quality Improvement Organization, under contract with the Centers for Medicare & Medicaid Services (CMS), an agency of the U.S. Department of Health and Human Services (HHS). Views expressed in this material do not necessarily reflect the official views or policy of CMS or HHS, and any reference to a specific product or entity herein does not constitute endorsement of that product or entity by CMS or HHS. This material is for informational purposes only and does not constitute medical advice; it is not intended to be a substitute for professional medical advice, diagnosis or treatment. 12SOW-QIN-AIM5-06/22/20-3756