

COVID-19 Vaccine 2nd Booster Fact Sheet


Ask a Pharmacist Office Hours

1. Eligibility criteria
 - a. Age over 50 and last booster at least 4 months ago
 - b. Moderately or severely immunocompromised, 12 years of age or older, and last booster at least four months ago.
 - c. Received 2 doses of J&J/Janssen COVID-19 vaccine at least four months ago.
2. Moderately or severely immunocompromised
 - a. Receiving active cancer treatment for tumors or blood cancers
 - b. Received an organ transplant and taking medication that suppresses the immune system
 - c. Receive a stem cell transplant in the last two years or taking medication that suppresses the immune system
 - d. Genetic condition such as DiGeorge or Wiskott-Aldrich syndromes
 - e. Advanced or untreated HIV infection
 - f. Current treatment with high-dose corticosteroids or other medications that suppress the immune system
3. Factors to consider regarding the 2nd booster
 - a. Likelihood of severe illness (for you or someone in your household)
 - i. Moderate or severe immunocompromise
 - ii. Conditions that can increase poor outcomes
 - iii. More likely to be exposed to COVID-19 through job or other factors
 - iv. Live in an area with medium to high viral transmission
 - v. Live with an unvaccinated person
 - b. Consider waiting if
 - i. You have had COVID-19 in last three months



Telligen QI Connect™
Partnering to improve health outcomes through relationships and data

This material was prepared by Telligen, a Quality Innovation Network-Quality Improvement Organization, under contract with the Centers for Medicare & Medicaid Services (CMS), an agency of the U.S. Department of Health and Human Services (HHS). Views expressed in this material do not necessarily reflect the official views or policy of CMS or HHS, and any reference to a specific product or entity herein does not constitute endorsement of that product or entity by CMS or HHS. This material is for informational purposes only and does not constitute medical advice; it is not intended to be a substitute for professional medical advice, diagnosis or treatment.



References

1. Covid-19 vaccine boosters. Centers for Disease Control and Prevention. <https://www.cdc.gov/coronavirus/2019-ncov/vaccines/booster-shot.html#second-booster>. Published April 28, 2022. Accessed May 2, 2022.
2. Covid-19 vaccines for moderately or severely immunocompromised people. Centers for Disease Control and Prevention. <https://www.cdc.gov/coronavirus/2019-ncov/vaccines/recommendations/immuno.html#mod>. Published April 29, 2022. Accessed May 2, 2022.



Telligen QI Connect™
Partnering to improve health outcomes through relationships and data

This material was prepared by Telligen, a Quality Innovation Network-Quality Improvement Organization, under contract with the Centers for Medicare & Medicaid Services (CMS), an agency of the U.S. Department of Health and Human Services (HHS). Views expressed in this material do not necessarily reflect the official views or policy of CMS or HHS, and any reference to a specific product or entity herein does not constitute endorsement of that product or entity by CMS or HHS. This material is for informational purposes only and does not constitute medical advice; it is not intended to be a substitute for professional medical advice, diagnosis or treatment.