## Adapted IHI Trigger Tool for Measuring Opioid Related Adverse Drug Events

Opioid ADE Patient Record Review Sheet

Patient Name / Identification # who was administered opioid:										Patient's Age:
Admission Date: Discharge Date:										
<ul><li>☐ Morphine</li><li>☐ Codeine</li><li>☐ Hydromorphone</li><li>☐ Hydrocodone</li></ul>			Oxycodo Oxymorp Bupreno Fentanyl	phone orphin		] Tr ] M	Methadone ramadol Meperidine utorphano	(pethidine	□ □ e) □	Pentazocine Tapentadol Other:
Opioid Related Adverse Drug Event Triggers										
Trigger Code	Clue/Symptom/Lab	Trigger Clue/Symptom/Lab Test				Test	Trigger Code	Clue/Symptom/Lab Test		
OPD1	Itching/Diphenhydrar administered	OPD6	Hyperalgesia – Increased sensitivity to pain/ Extreme response to pain				20044		Depressed Respiratory Activity- Rate/ Minute Volume / Tidal Exchange /	
OPD2	Nausea/Vomiting/Andemetics administered	OPD7 Confusion / Depression					OPD11	Rhythm		
OPD3	Constipation/Ileus	Constipation/Ileus			OPD8 Over-sedation/lethargy/hypotension				Abrupt Cessation of Medication	
OPD4	Sleepiness/Dizziness	OPD9 Fall					OPD13	Transfer	to Higher Level of Care	
OPD5	Rash	Rash		OPD10 Narcan administered				other		
Triggers Found (Code)	ADE Found		? No		Harm Category**		Description of ADE			Opioid Administered
<u> </u>										
<u> </u>										
Total AD	Es for this patient:									
Total number of doses of medications for this patient (if available):										

Category A-D: Did not cause harm

Category E: Temporary harm to the patient and required intervention

Category F: Temporary harm to the patient and required initial or prolonged hospitalization

Category G: Permanent patient harm

Category H: Intervention required to sustain life

Category I: Patient's death

References:

IHI Trigger Tool for Measuring ADEs (<u>www.ihi.org</u>)

NCC MERP Index for Categorizing Medication Errors (https://www.nccmerp.org)

<sup>\*\*</sup>Harm Category (adapted from NCC MERP Index):